Designing a Model for Community-Based Preparedness of Iranian Medical Science Universities to Provide Health Services to Earthquake Victims

Ali Azarpaykan¹, Mehdi Kazemi², Ali Mollahosseini³

Date of submission: 22 Jan. 2022 Date of acceptance: 30 Mar. 2022

Original Article

Abstract

INTRODUCTION: Iran, as one of the most earthquake-prone countries in the world, has been always presented with daunting challenges in providing medical services to victims. The present study aimed to achieve a model for community-based preparedness of Iranian medical science universities to provide health services to earthquake victims.

METHODS: This qualitative study was performed based on the grounded theory method defined by Strauss and Corbin. The statistical population of the study included university professors, senior managers of medical universities, crisis management consultants, and non-governmental organization experts in the universities. The subjects were selected via the purposive method; accordingly, the sample size was obtained at 11 cases, and the required data were collected through a semi-structured interview. In the analysis of qualitative information, open coding, axial coding, and selective coding were used manually.

FINDINGS: The findings were presented in the form of a paradigm model of community-based preparedness of medical universities in the face of earthquake crises. Based on the results of this research, 21 categories (variables) were identified. According to the research model, these variables were classified into six categories, including causal factors, contextual factors, central core, intervening factors, strategic factors, and consequential factors.

CONCLUSION: As evidenced by the obtained results, the most important achievement of this study was to prove the numerous benefits of community-based preparedness of medical universities for better management of earthquake crises. This research also included many practical strategies to achieve this.

Keywords: Community-based; Earthquake Crisis Management; Grounded Theory; Health Care Services.

How to cite this article: Azarpaykan A, Kazemi M, Mollahosseini A. Designing a Model for Community-Based Preparedness of Iranian Medical Science Universities to Provide Health Services to Earthquake Victims. Sci J Rescue Relief 2022; 14(2): 107-116.

Introduction

crisis is a sudden event or incident that leads to widespread physical or financial damage, loss of life, or injuries that require immediate measures. natural disasters that lead to crisis conditions in society are potentially destructive and deadly (1). Nearly one billion people across the globe, one-sixth of the world's population, have been directly or indirectly affected by disasters over the past decade (2). The incidents and disasters are responsible for more than 90% of deaths in developing and underdeveloped

countries. Iran is a developing country in Asia that is exposed to various natural and man-made disasters; therefore, it is one of the most vulnerable countries in the world. In the last 90 years, more than 180,000 people have lost their lives due to natural disasters, and many times more have suffered physical, psychological, and social damages and lost their properties (3).

Earthquake is one of the unpredictable natural hazards, imposing a toll of human and financial losses on people in the affected areas. Earthquakes are considered to be the largest potential source of

Correspondence to: Mehdi Kazemi, Email: mehdykazemi@uk.ac.ir

¹⁻ PhD Student in Crisis Management, Shahid Bahonar University, Kerman, Iran

²⁻ Associate Professor, Faculty of Management and Economics, Shahid Bahonar University, Kerman, Iran

³⁻ Professor, Faculty of Management and Economics, Shahid Bahonar University, Kerman, Iran

damage caused by natural disasters, exerting numerous long-term socio-economic effects on governmental and non-governmental organizations. Today, the vulnerability of cities to earthquakes is regarded as a global problem for experts in various fields. In recent decades, this situation has become more acute in countries with natural structures in danger of extinction, including Iran (1).

Iran is the 4th most prosperous country in Asia and the 10th in the world which is always exposed to natural disasters. Iran is also one of the earthquake-prone regions of the world due to its geographical location. Although mountainous areas and the Zagros region are more at risk of earthquakes, no area in our country is safe from this disaster (4). Therefore, different regions of the country have suffered a lot of damage and losses in many earthquakes. This highlights the necessity of preparing and planning for this natural disaster. In the meantime, hospitals are in constant demand for services in critical situations due to their special structure and tasks; therefore, they should be prepared for critical conditions according to available situations and facilities (5).

Social participation assumes great importance for crisis management when it means a sense of belonging to active and voluntary participation in a group, leading to social activity. From this perspective, participation is an organized process in which individuals engage in voluntary activities. One of the important issues in crisis management is people's participation in crisis management. This interaction aims to improve the executive power of responsible organizations in different stages of crisis management (6). Numerous studies have been conducted worldwide on natural disaster management in the scope of medical centers and hospitals.

The proposed models overlap in some dimensions and have their own innovations in others. Nonetheless, there is a need for extensive development and exploration to localize these models since they are not specifically designed for medical hospitals in Iran and they do not have a community-based approach (given the specific social dimensions of Iran) (7). Therefore, a review of crisis management research demonstrates that multi-purpose crisis management bases, as suitable locations in times of crisis, are one of the best ways to reduce damage and casualties when crisis conditions disrupt natural conditions. Among the multi-purpose uses of crisis

management, given that mosques are civilian nonstrategic places, they can be used in times of crisis as a safe base, as well as a control and command center with special design considerations (8).

Multiple problems in medical centers and hospital emergencies, such as limited facilities, lack of relief forces, and trained personnel, indicate the urgent need to provide services and benefit from the capacities of volunteer forces (9). The three main institutions of government, the private sector,

and civil society play a role in crisis management, in which several actors are involved. Nongovernmental organizations (NGOs) contribute greatly to the management of earthquake crises. Such organizations can provide significant financial, physical, and intellectual assistance to support crisis management in natural disasters (10).

Rezaei and Nouri published an article entitled "Comparative analysis of different citizens' performance in dealing with earthquake crisis with an emphasis on the importance of preparedness in the crisis management cycle (Case study: Kerman city)". The results of the stated study indicated that preparedness in the crisis management cycle is the most important step. Moreover, the findings were indicative of the lack of a culture of safety and preparedness in society. Therefore, the most important element in promoting preparedness to reduce the devastating consequences of natural disasters is education and considering the crisis management process as the dominant paradigm (10).

Amouzad Khalili et al. conducted a study entitled "Considering the role of public participation to improve urban crisis management and its effective elements based on Ragers' public participation theory". Based on the results of this research, the success of a project largely depends on the role of people and their participation in the project. Moreover, people's participation is essential to determine the needs, demands, and priorities of crisis management programs (7). In the same context, Arvin et al. performed a study entitled "Study of Social Capital Effect on Earthquake Disaster Management with Emphasis Resiliency". The results of the referred study indicated that the status of social capital indicators and earthquake risk management is in good condition. Social capital indicators are not only significantly related to earthquake management indicators but also have a significant

effect on earthquake risk management in District 9 of Tehran (11).

Along the same lines, Charney et al. published an article entitled "Preparing hospital staff to work in earthquake disasters to combat infectious diseases." The referred study aimed to identify the factors affecting the willingness and preparedness of hospital staff to deal with infectious diseases in natural disasters, such as earthquakes. This study, conducted in the USA, demonstrated that such factors as not having children, full-time job, no worries about family, no fear of losing jobs, and availability of vaccines, affected the preparedness of hospital staff to deal with infectious diseases in natural disasters, such as earthquakes (12).

Tzeng et al. carried out a study entitled "Preparedness of hospital nurses for disaster responses in Taiwan: A cross-sectional study" The results of the mentioned study showed that indicators of personal preparedness, personal

protection, immediate response, and clinical management play an important role in nurses' preparedness to respond to natural crises (13). Liu et al. published an article entitled "Maintenance of hospital operations during natural disasters by the crisis communication plan". The results of the stated study illustrated that the proper functioning of hospital crisis communications is one of the effective factors in the maintenance of hospital operations during natural disasters. One of the characteristics of these indicators is paying attention to performance indicators of hospitals during a disaster. Despite the significant importance of structural and non-structural strength of the hospital, previous experiences demonstrated that the most serious effects of disasters are exerted on the ability of hospitals to respond in the performance area and disruption of their service system s (14).

Overlapping the studied models is presented in Table 1.

Table 1. Overlapping the studied models

Table 1.	Models			
Indicators	Qaedi et al. (15)	Vahedparast et al. (16)	Hospital Safety Index (9)	Hassan and Mahmoud (17)
Manpower	*	*		
Process and instructions	*			
Equipment	*	*		
In- and out-of-hospital coordination	*			
Physical space	*	*		
Structure and organization	*	*		
Protocols		*		
Performance chart		*		
Recognizing climate hazards			*	
Recognizing the dangers of social phenomena			*	
Recognizing the dangers of biological hazards			*	
Recognizing the dangers of technological hazards			*	
Organizing the hospital crisis committee			*	
Operational plan for responding to internal and external hazards		*	*	
Possible medical operation plans			*	
Availability of an operational plan for		*	*	
maintaining and rebuilding critical services				
Access to medicine, equipment, and supplies			*	
in emergency conditions			at.	
Electrical system safety assessment			*	
Communication system safety assessment			*	
Water supply system safety assessment			*	
Fuel storage safety assessment			*	

Medical gas safety assessment			*	
Safety assessment of heating and air				
conditioning systems in important areas of the hospital	*	*	*	
Safety assessment of office equipment (fixed and mobile)	*	*	*	
Safety assessment of medical and laboratory				
equipment and supplies for diagnosis and treatment	*	*	*	
Safety assessment of architectural components			*	
Safety assessment of previous accidents			*	
influencing hospital safety				
Safety assessment of structural system and type of materials used in the building			*	
Availability of personnel	*	*		*
Availability of water			*	*
Availability of transfer system				*
Availability of wastewater			*	*
Availability of power			*	*
Availability of long-range communications				*
Availability of drinking water			*	*
Availability of workspace				*
Availability of accessories	*	*	*	*

The examination of previous models (Table 1) presented in the field of crisis preparedness in the health sector revealed a gap in the field of modeling the community-based preparedness of medical universities to provide appropriate services to earthquake victims. That is to say, despite the existence of some external and general models, no internal and external research has seriously and systematically modeled this field.

Despite the undeniable role of medical universities in managing earthquake crises, preliminary studies conducted by the Ministry of Health demonstrated that there is no codified model for community-based preparation of these universities against earthquake crises, even though these universities are obliged to provide medical services to earthquake victims. Nevertheless, one of the most important measures to manage any phenomenon is to design comprehensive models in that area. Therefore, the present study sought to answer this main question to fill the theoretical gap: "What is the model of community-based preparedness of Iranian medical Science Universities in providing medical services to earthquake victims?"

Methods

These theories and propositions are formulated systematically based on real data. The grounded

theory study is conducted to build a theory that can be examined and expanded in future research. It seems to be a wise choice to use a qualitative methodology that can reveal the hidden layers of this phenomenon with an exploratory approach. Strauss and Corbin developed this research method in 1967. In sampling (selection of participants), qualitative research is called purposeful or theoretical sampling (15).

The present qualitative study was performed based on the grounded theory method defined by Strauss and Corbin. The statistical population of the study included university professors, senior managers of medical universities, crisis management consultants, and non-governmental organization experts in the universities. The subjects were selected via the purposive method. The researcher continued sampling until reaching the theoretical saturation stage to complete and describe them more accurately. As a result, the sample size was obtained at 11 people; the required data were collected through a semi-structured interview. In the analysis of qualitative information, open coding, axial coding, and selective coding were used manually.

Findings

The interviewed expert (n=11) were selected from different medical science universities in Iran with master's and PhD degrees, as well as work

experience in emergency management at medical science universities (Table 2). The coding of expert interviews with the aim of presenting a community-based preparedness model of Iranian medical science universities led to the acquisition of 71 free codes, yielding 21 categories and 59 sub-categories after analysis. The main categories were divided into the general headings of "causal

conditions", "contextual conditions", "intervening conditions", "strategies ", and " consequences ", which are presented in Table 3. The careful and comprehensive analysis of the title, as well as main and sub-categories extracted in different stages of coding, led to the provision of a paradigm for the community-based model of medical science universities (Figure 1).

Table 2. Interviewee Details

Tubic 2. Intel viewed Betains			
Academic degree	Position	Row	
PhD	Crisis Manager at Kerman University of Medical Sciences	1	
PhD	Crisis Manager at Kurdistan University of Medical Sciences	2	
PhD	Crisis Manager at Mazandaran University of Medical Sciences	3	
PhD	Crisis manager at Hormozgan University of Medical Sciences and community-based expert	4	
PhD	Management of Emergency Department and unexpected events at Kerman University of Medical Sciences	5	
PhD	General Crisis Manager of Hormozgan Governorate	6	
PhD	Crisis Manager at Shiraz University of Medical Sciences	7	
Master's Degree	Country Crisis Management	8	
PhD	Crisis manager at Ilam University of Medical Sciences & community-based expert	9	
PhD	Crisis Manager of Sarab University of Medical Sciences	10	
PhD	Crisis Manager at Tehran University of Medical Sciences	11	




Figure 1. Paradigm model for community-based axial coding of medical science universities

Table 3. Results of open, axial, and selective coding

C	ъ.	Table 3. Results of open, axial, and selective coding	
Source	Dimensions	Sub-categories Maintenance of the Committee of the Commit	Main categories
A2, I4		Medical science universities are directly responsible for providing earthquake victims with	Responsibility of medical science universities for providing
A9		quality healthcare. Services must be provided to earthquake victims promptly.	earthquake victims with quality
B7		The management of diagnostic and medical affairs is critical for earthquake victims.	healthcare services
C2		People's beliefs to help fellow creatures when occurring natural disasters	Religious beliefs about
F7, K5		Effect of religious beliefs on the willingness of people to help in an earthquake crisis	disasters
H1, J3		Some people try to help their fellow creatures in terms of conscience and personal morality.	Consaigned athics and
\mathbf{B}_3	Casual	Sacrifice has been institutionalized in the culture of our society.	Conscience, ethics, and altruism
C_4	conditions	Public expectation and desire to engage in healthcare	
E_1	Conditions	Public participation is the groundbreaker of many positive social consequences in times of crisis.	The necessity of public
H_2		Public participation is essential in community-based disaster management, such as earthquakes, and managers should try to reinforce this social variable.	participation in relief and public demand for participation
G_2		Many medical science universities face the constraints of financial resources and manpower.	Limited resources of medical science universities for
H ₃		There is not enough equipment and space in many hospitals in Iran to provide relief.	providing earthquake victims with healthcare services
A_4		Culture building of public participation in community	
B ₅		Community must actively seek participation.	General participatory culture
D_3		Public participation should be taught from an early age.	1 1
B4, J4		Organizational culture should be people-centered in medical science universities.	organizational culture
F2, I2	Contextual	Organizational culture of universities influences public trust in public participation.	supporting the public and
G ₃ E2, K4	conditions	Coordination of the culture and organizational structure of universities Reinforcement of the effective role of NGOs in the community	community-based participation
E2, K 4 E ₄		Philanthropists can have a targeted and planned participation in relief activities.	NGOs and philanthropists
		The type of interaction between medical science universities and non-governmental	interested in participation
D_2		organizations influences their interest in participation.	r
A_5		The problem must be sought in the internal processes of medical science universities. Sometimes intra-organizational cumbersome laws prevent the community-based approach	
B_6		of medical science universities.	structural, legal,
		Lack of coordination of medical science universities' organizational structure with	organizational, and
E_7		community-based practices	information constraints in
F3		Lack of a mechanism for using social potential	medical science universities
C4		The need for dominating the climatic conditions of the community by medical science universities	
A6, I5	Intervening	Appropriate upstream laws for public participation in the healthcare section	
B1, K6	conditions	The lack of instructions and upstream laws for coordinating the related organizations for relief	
D_5		The lack and weakness of upstream laws (Ministry of Health, and related organizations for	Constraints of upstream laws
		public participation in the healthcare section	
E3, J5		The existence of upstream laws restricting relief to public participation in the healthcare section	
C3		The need for dominating the cultural and economic conditions of society by medical	0
		science universities	Organizational culture governing the university
E8		The lack of protocols and procedures for public participation in the earthquake crisis	governing the university
A_3		Intra-organizational training to interact with the community	Development and
			implementation of specialized
			and general training programs
C1		General and public training for helping to provide healthcare services	for dynamic interaction
			between medical sciences
			universities and the public for providing healthcare services
		The structure formation and formulation of appropriate laws with community-based	providing nearlicate services
B2		earthquake crisis management in medical science universities	Characterial loss last Course
D		Amendment of the cumbersome laws and regulations for the interaction between the	Structural-legal reforms at organizational and extra-
D_4		university and the community to service	organizational levels
E5	Strategies	Providing a bed for enacting the coordinated upstream laws with the interaction between the	organizational levels
		university and the community to service	
E ₆ F ₆		Identifying and using the potential of NGOs Training and encouraging NOGs to participate in providing the healthcare services	Managing the participation of
F5		Identifying, and encouraging philanthropists to participate in healthcare service	NGOs and philanthropists with
F1		Creating appropriate communication channels between NGOs and philanthropists	the university
D1		Some individuals and institutions are willing to provide appropriate assistance to the	Identifying, recording, and
DI		healthcare system in times of crisis	creating a database:
H1		Some individuals and institutions have specialized or general capabilities to participate with	-Volunteer manpower
		the university to service.	-Volunteer spaces and places
I1		Some individuals and institutions are willing to voluntarily provide their logistics and transportation	-Volunteer logistics and transportation
11		facilities to the university for providing healthcare services in the occurrence of the earthquake.	transportation

		Table 3. Continued	
A7, K2		Reducing the mortality rate of earthquake victims	Reducing the mortality rate of
D_7		Reducing the rate of earthquake injuries	earthquake victims
A8		Accelerating the provision of healthcare services to earthquake victims	Facilitating and accelerating
E9		Accelerating the information about damages and providing services	the identification of earthquake
G5		Facilitating the community-based planning for providing the information-based services	victims and provision of services
B8		Helping to accelerate the normalization of society	Accelerating the process of
C5, J7	Consequences	Facilitating and accelerating the settlement of the earthquake victims	returning the society to a
D8		Improving the university's understanding of the cultural, economic, and climatic conditions of the region	normal situation
E10		Decreasing equipment and logistics costs of medical science university	Decreasing costs of medical
C6, I6		Decreasing the human resource costs of medical science university	sciences universities
B9		Targeted and planned participation of the community in relief activities	Promoting the empowerment
F4		Increasing the knowledge and experience of the community for relief activities	of society in public participation
		The interaction between medical science universities and the community is based on the	Community-based
A_1	Main	potential of the parties for providing healthcare services	preparedness of medical
G_1	category	Active participation of the community in providing services to the earthquake victims	science universities in the
H_4	8- 9	General capacity building to participate in relief activities	earthquake crisis

In this study, the obtained information from the interview process was carefully reviewed; thereafter, 59 concepts were extracted and recorded from the interview transcripts (open coding). In the next phase, the concepts were identified together and categorized into the following six categories (axial coding):

- 1- The core category phenomenon: The central phenomenon is the conceptual label that is considered in the research. After collecting and analyzing the data in the open coding phase, the community-based model of medical science universities was selected as the core category based on focusing on the interviewees and reviewing the research literature.
- 2- Causal conditions: These conditions result in the development of a central phenomenon. Four categories were identified based on the findings from the interviews, including the responsibility of medical science universities in providing the earthquake victims with quality medical services; religious beliefs about disasters, conscience, ethics, and altruism; the necessity of public participation in relief and public demand for participation; limited resources of medical science universities for providing earthquake victims with healthcare services.
- 3- Contextual conditions: These conditions include a set of specific variables and categories that influence the community-based strategies of medical sciences universities with general conditions (intervening factors). These conditions are general participatory culture, organizational culture supporting the public and communitybased participation, NGOs, and philanthropists interested in participation.
 - 4- Intervening conditions: In this study,

- intervening conditions were regarded as general conditions that influence the community-based strategies of medical science universities with contextual factors. In the introduced model, these conditions include: structural. legal. organizational, and information constraints in medical science universities, constraints of upstream laws and organizational culture governing the university.
- 5- Strategies: Community-based strategies of medical science universities represent the interactions and activities which are adopted in response to the central phenomenon under the intervening conditions and contextual factors, including the development and implementation of specialized and general training programs for a dynamic interaction between medical sciences universities and the public for providing healthcare services, structural-legal reforms at organizational and extra-organizational levels, managing the cooperation of NGOs and philanthropists with the university, as well as identifying, recording, and creating a database for better management of volunteer manpower, volunteer spaces and places, as well as volunteer logistics and transportation.
- 6- Consequences: According to the collected data, the community-based model of medical science universities resulted in consequences, such as reducing the mortality rate of earthquake facilitating the victims. identification earthquake victims, accelerating the provision of earthquake-stricken services accelerating the process of returning the society to the normal situation, decreasing costs of medical sciences universities, and promoting

empowerment of society in public participation. The results of open, axial, and selective coding are displayed in Table 3. Figure 1 depicts the paradigm model for the community-based axial coding of medical science universities.

Discussion and Conclusion

Based on the obtained model, conditions were identified in the following three categories. The first group was individual factors which encompass the following: conscience, morality, sense of altruism, and religious beliefs. The second group was social factors, comprising the necessity of public participation and public demand for participation. Finally, the third category was organizational factors, including the direct responsibility of medical universities for providing earthquake victims with quality healthcare services and limited resources of medical science universities for providing healthcare services. As it is clear, the research results suggested that in the path of communitybased preparedness of Iranian medical science universities for providing earthquake victims with healthcare services, many individuals, social, and organizational variables influence the process as independent variables. The results of this section are consistent with those reported by Rezaei and Nouri (10), Amouzad Khalili et al. (7), and Arvin et al. (11).

Moreover, the core of the research conceptual model was formed from the community-based preparedness of medical science universities to provide health services in earthquake crises. It included the following important component: interaction between the medical science university and community, active participation in the community, and public capacity building for participation. Given the above components, it is obvious that the way medical science universities interact with the community and build capacity for public participation in the community-centered preparation process of medical universities to provide health services in earthquake crises is of utmost importance. The results of this section are in line with the findings of the studies by Amouzad Khalili et al. (7) and Arvin et al. (11).

Another important part of the model was formed from environmental factors, including structural, legal, organizational, and information constraints of medical science universities; constraints on upstream laws; and organizational culture governing the university. These major

factors are very difficult or even impossible to control by medical science universities. However, despite the impossibility of controlling environmental factors, they may have significant effects on community-based preparedness strategies of medical science universities for providing healthcare services in the earthquake crisis. The results of this section are in accordance with the finding of the study by Qaedi et al. (15).

The other part of the model included contextual factors, namely general participatory culture, NGOs and philanthropists interested in participation, as well as organizational culture and community-based supporting public participation. Indeed, these contextual factors indicate the desired level of mental, cultural, and social contexts of community participation. These variables can be improved and controlled over time by adopting appropriate strategies. The results of this section are in line with those reported by Rezaei and Nouri (10), Amouzad Khalili et al. (7), and Arvin et al. (11).

The important and strategic part of the research model focused on community-based preparedness strategies of medical science universities for providing healthcare services in earthquake crises. They included the following: developing and implementing the specialized and general training programs for the dynamic interaction between medical science universities and the public in providing healthcare services; legal structural reforms at the organizational and extra-organizational level; managing participation of NGOs and philanthropists with the university; identifying, recording, and creating a database for better management of volunteer manpower, volunteer spaces and places, as well as volunteer logistics and transportation. The aforementioned four strategies will be of great help to Iranian medical science universities to have much better productivity in preparedness and the community-based response to earthquake crises and provide victims with better healthcare services. The results of this section are aligned with those obtained by Amouzad Khalili et al. (7), Arvin et al. (11), and Achour et al. (16).

The consequences are presented in the final part of the model. This section indicates that the following consequences will be achieved if the community-based medical science universities are prepared to provide healthcare services in the earthquake crisis. They include the following: reducing the rates of injury and mortality of

earthquake victims; facilitating and accelerating the identification of service for earthquake victims; accelerating the process of returning the community to a normal situation; decreasing the costs of medical science universities; facilitating and accelerating the settlement of earthquake victims, and promoting the empowerment of society in planned and public participation. The results of this section are in accordance with those reported by Rezaei and Nouri (10), Amouzad Khalili et al. (7), Achour et al. (16), as well as Hassan and Mahmoud (17).

As a comprehensive conclusion of this research, it can be acknowledged that the community-based preparedness of medical universities is a great gift and advantage since in crises, such as earthquakes, the communitybased preparedness of medical universities will act as a powerful lever and make up for serious shortcomings in human resources, logistics, and management. In natural crises, such as earthquakes, given that all urban factors are in crisis at once, the preparedness of the community to help the health care system will be very effective and can help to improve the urban situation more quickly and reduce the number of casualties and displaced people. Therefore, the most important achievement of this study was to prove the numerous benefits of community-based preparedness of medical universities for better management earthquake crises. This research also included many practical strategies to achieve this.

Acknowledgments

The authors' deepest appreciation goes to crisis specialists and administrators of medical universities and community-based experts for their contribution to this research.

Conflict of Interests

The authors declare that they have no conflict of interest.

References

- 1. Ebrahimzadeh I, Kashefi D, Hosseini SA. Assessing the vulnerability of urban neighborhoods to earthquakes (Case study: Piranshahr city). Geogr Plan Q. 2015; 5(1): 1-25. [In Persian]
- 2. Lee YI, Lu X, Jin Y. Uncertainty management in organizational crisis communication: the impact of crisis responsibility uncertainty and attributionbased emotions on publics' further crisis information seeking. J Commun Manag. 2021;

- 25(4): 437-53.
- 3. Khankeh HR, Khorasani Zavareh D, Johanson E, Mohamadi R, Ahmadi F, Mohamadi R. Disaster health-related challenges and requirements: a grounded theory study in Iran. Prehosp Disaster Med. 2011; 26: 1-8.
- 4. Vafaie A, Alamdari SH, Kariman H, Arhami Dolatabadi A, et al. Designing a crisis management model in Tajrish Martyrs Hospital. Sci J Rescue & Relief. 2011; 3(2): 67-79. [In Persian].
- 5. Eskandari M, Nategh Elahi F. Planning for crisis management (earthquake) of a hospital (Case Study). National Conference on Metropolis Management with an approach to safety, health, and environment, Farayand Sazeh Abneyehnasb Company, Tehran, Iran; 2017. [In Persian].
- 6. Nourullahi B. The role of public participation in crisis management (Looking at Tehran's urban management approach in attracting public participation). International Conference Comprehensive Natural Disaster Management, Permanent Secretariat of Conference, Tehran, Iran; 2013. [In Persian].
- 7. Amouzad Khalili S, Rashidi A, Pirdashti H. Considering the role of public participation to improve urban crisis management and its effective elements based on Ragers' public participation theory, Case study: Behshahr city. Disaster Prev Manag Know. 2018; 8(3): 255-68. [In Persian].
- 8. Quchani M, Taji M, Darbanian M. Evaluation of architectural design indicators of mosques as multipurpose bases with passive defense approach. Disaster Prev Manag Know. 2019; 9(1): 48-60. [In Persian].
- 9. Jannat F, Alipour S, Ardalan A. Examining how to participate people in dealing with natural disasters. International Conference on Comprehensive Management of Natural Disasters, Permanent Secretariat of Conference, Tehran, Iran. 2013. [In Persian].
- 10. Rezaei MR, Nouri M. Comparative analysis of citizens' Different performance in response to earthquake crisis with an emphasis on the importance of preparedness in the crisis management cycle (case study: Kerman city). National Conference on Applied Research in Civil Engineering Tehran, Iran. 2017. [In Persian].
- 11. Arvin M, Faraji A, Bazrafkan S. Study of social capital effect on earthquake disaster management with emphasis on resiliency (case: Tehran city district 9). J Social Capital Manag. 2018; 5(1): 1-24. [In Persian].
- 12. Charney RL, Rebmann T, Flood RG. Hospital employee willingness of work during earthquakes versus pandemics. J Emerg Med. 2015; 49(5): 665-
- 13. Tzeng WC, Feng HP, Cheng WT, Lin CH, Chiang LC, Pai L, et al. Preparedness of hospital nurses for

- disaster responses in Taiwan: A cross-sectional study. Nurse Educat Today. 2016; 47: 37-42.
- 14. Liu B, Herovic E, Roberts H. Keeping hospitals operating during disasters through crisis communication preparedness. Public Relat Rev. 2018; 44(4): 585-97.
- 15. Ghaedi H, Nasiripour A, Tabibi SJ. Hospital preparedness in radiation crisis in selected countries and developing a conceptual model for Iran. Iran South Med J. 2018; 21(5): 393-408. [In Persian].
- 16. Achour N, Miyajima M, Pascale F, Price A. Hospital resilience to natural hazards: classification and performance of utilities, Disaster Management and Prevention. 2014; 23(1) 40-52. Doi: 10.1108/DPM-03-2013-0057
- 17. Hassan E M, Mahmoud H. Full functionality and recovery assessment framework for a hospital subjected to a scenario earthquake event. Eng Struct. 2019; 188: 165–77.